

Forecasting Air Quality Dynamics: Employing Machine Learning Models for Enhanced Environmental Health Predictions

Octaviana Anugrah Ade Purnama

Department of Teknik Information, Faculty of Computer Science, Universitas Pamulang, Tangerang Selatan, Indonesia

ARTICLE INFO	ABSTRACT
Published Online: 14 August 2025	Increasing emissions of air pollutants and rapid urbanization have raised global concerns about air quality and public health. Therefore, predicting air quality is important to reduce its negative impacts. This research identifies the variables that most influence air quality and develops a Machine Learning-based prediction model to estimate the air quality index (AQI). Machine Learning models used in this research include Random Forest, Support Vector Machine (SVM), and Neural Network. In developing the model, historical air quality data from several large cities in the world were used to train and test the accuracy of the model predictions. The aim of this research is to improve the accuracy of air quality predictions and identify the main patterns that influence it. This research uses quantitative methods with secondary data collection from global air quality databases. Prediction models are built and validated using cross-validation techniques and evaluation metrics such as Mean Absolute Error (MAE) and Root Mean Squared Error (RMSE). The research results show that the Random Forest model has the best performance with an MAE of 2.5 and an RMSE of 3.7, compared to the SVM and Neural Network models. The Random Forest model is also able to identify the main variables that influence AQI, such as PM2.5, PM10 and NO2 concentrations. The prediction accuracy reached 92%, indicating that the model is reliable for real applications. These results provide important insights for policy makers and researchers to take mitigation actions against air pollution. In conclusion, the Machine Learning model developed in this research is effective for predicting air quality and can be used as a useful tool in environmental management. This research suggests using real-time data for more accurate predictions in the future.
Corresponding Author: Octaviana Anugrah Ade Purnama	
KEYWORDS: Air quality, Prediction, Machine Learning, Air quality index, Air pollution, Environmental management	

1. INTRODUCTION

The dynamically changing and interdependent elements that affect the quality of the air we breathe are referred to as air quality dynamics [2]. These variables include topography, weather patterns, human activity, and emissions from industrial processes, vehicles, and natural sources [3]. Understanding air quality dynamics is crucial for developing effective strategies to monitor and improve air quality, protect public health, and mitigate the impacts of air pollution on the environment [4]. By studying the complex interplay of these factors, scientists and policymakers can identify sources of pollution, predict air quality trends, and implement targeted interventions to reduce harmful emissions [2]. Monitoring air quality dynamics also helps to assess the effectiveness of policies and regulations aimed at controlling pollution levels and promoting sustainable practices. Ultimately, a comprehensive understanding of air

quality dynamics is essential for creating a healthier and more sustainable environment for current and future generations [5]. Importance of predicting air quality for environmental health, the ability to foresee potential health risks associated with poor air quality is a crucial component of air quality prediction for environmental health [6][7]. Researchers analyze pollutant data to identify populations most vulnerable to pollution's harmful effects, enabling the development of targeted public health strategies like health advisories and pollution control measures [9]. Additionally, predicting air quality allows for early intervention to prevent or mitigate the impact of pollution-related health problems, ultimately improving overall environmental health outcomes [8]. By creating models that forecast air quality levels, authorities can anticipate when pollution levels may exceed safe thresholds and take proactive measures to reduce emissions. This can include implementing

traffic restrictions, promoting public transportation, and enforcing regulations on industrial emissions [10][11]. By staying ahead of potential air quality issues, communities can work towards a cleaner and healthier environment for all residents [12][13]. Ultimately, the ability to predict and address air quality issues before they become severe is crucial in safeguarding public health and promoting sustainable development [9]. For example, in cities with high levels of air pollution, officials can use real-time data to monitor air quality and adjust traffic flow to reduce congestion and emissions during peak hours [14]. Additionally, authorities can collaborate with businesses to implement eco-friendly practices and technologies to decrease industrial emissions and improve overall air quality in the region.

Machine learning models have shown great promise in forecasting air quality and helping officials make informed decisions to mitigate pollution levels [15]. By analyzing historical data on air quality, weather patterns, and traffic conditions, these models can predict future air quality levels with a high degree of accuracy [16]. This allows authorities to take proactive measures to prevent air pollution spikes and protect public health [17][18]. Moreover, machine learning algorithms can also identify patterns and trends in air quality data that may not be immediately apparent to human analysts, enabling more effective strategies for improving air quality in the long term [2][19]. For example, machine learning algorithms can pinpoint specific sources of pollution and recommend targeted interventions to reduce emissions [21]. Additionally, these models can adapt and learn from new data in real-time, continuously improving their predictive capabilities [22]. By harnessing the power of machine learning, officials can make smarter, data-driven decisions to create a cleaner and healthier environment for all [23]. For instance, a machine learning algorithm analyzing air quality data in a city may uncover that a certain industrial plant is consistently emitting high levels of pollutants, leading to health risks in nearby communities [24][25][26]. The algorithm can then suggest implementing stricter regulations or alternative technologies at the plant to mitigate these emissions and improve overall air quality [27][28]. The algorithm can identify pollution trends over time, enabling proactive environmental issues. However, it may overlook other sources of pollution, such as vehicular emissions or wildfires, leading to misguided focus on industrial plant regulation [29].

Anthropogenic sources of air pollution, include industrial emissions, transportation exhaust, and agricultural activities. These human activities release pollutants such as carbon monoxide, sulfur dioxide, nitrogen oxides, and particulate matter into the atmosphere, contributing to poor air quality [9]. In addition to anthropogenic sources, natural factors such as dust storms, wildfires, and volcanic eruptions can also impact air quality [30]. Understanding the various factors influencing air quality is crucial for developing effective strategies to mitigate pollution and protect public health [4]. By monitoring air quality and identifying the sources of pollution, policymakers can work towards implementing regulations and initiatives to reduce

harmful emissions [31]. Collaboration between governments, industries, and communities is essential in creating a cleaner environment for everyone. It is important to raise awareness about the impacts of air pollution and promote sustainable practices to improve air quality for future generations [32][31]. Ultimately, taking action to address air pollution is vital in safeguarding the well-being of both the environment and human health [33]. For example, in a city with high levels of air pollution, government officials may partner with local businesses to implement stricter emissions standards and promote the use of clean energy sources. Community organizations can also educate residents on ways to reduce their carbon footprint, such as carpooling or using public transportation. These collaborative efforts can lead to a significant decrease in harmful pollutants in the air, resulting in improved health outcomes for all residents.

Natural factors affecting air quality include weather patterns, topography, and vegetation. Weather patterns can impact the dispersion of pollutants, with stagnant air leading to higher concentrations of pollutants in one area [34]. Topography plays a role in trapping pollutants in valleys or urban areas, while vegetation can help absorb pollutants through processes like photosynthesis [35][36]. Understanding these natural factors is crucial for developing effective strategies to improve air quality and protect public health [9]. By studying weather patterns, topography, and vegetation, researchers can better understand how different areas are impacted by air pollution and develop targeted solutions to reduce harmful emissions [37]. For example, planting more trees in urban areas can help combat pollution by absorbing carbon dioxide and releasing oxygen. By taking into account these natural factors, policymakers can work towards creating a healthier environment for all residents to enjoy. Ultimately, a comprehensive approach that addresses both man-made and natural contributors to air pollution is necessary to ensure the well-being of communities everywhere. In cities with high levels of air pollution, researchers have found that planting green walls on buildings can help absorb harmful particles and improve air quality [38][39]. Additionally, incorporating green roofs on top of structures can help reduce heat island effects and decrease the need for energy-intensive cooling systems, further mitigating pollution.

Weather patterns play a significant role in the dynamics of air quality, as they can influence the dispersion of pollutants and the formation of harmful particulate matter. For example, stagnant weather conditions can lead to the accumulation of pollutants in urban areas, exacerbating air quality issues. On the other hand, strong winds can help disperse pollutants over a wider area, reducing localized pollution levels. Understanding how weather patterns interact with air pollution is crucial for developing effective strategies to improve air quality and protect public health. By studying these dynamics, researchers can better predict when and where air quality issues may arise, allowing for more proactive measures to be taken. Additionally, incorporating weather data into air quality monitoring systems can provide a more comprehensive understanding of pollution

levels and their potential impacts. Ultimately, a better understanding of the relationship between weather patterns and air quality can lead to more targeted and efficient solutions for reducing pollution and protecting the environment. For example, researchers analyzing data on temperature inversions in urban areas can predict when stagnant air conditions may lead to increased pollution levels. By implementing targeted emission reduction strategies during these periods, cities can mitigate the impact of poor air quality on public health. Incorporating real-time weather data into air quality monitoring systems can also help authorities issue timely alerts and advisories to vulnerable populations during periods of heightened pollution.

2. RESEARCH METHODS

Training and testing machine learning models on air quality data involves a series of steps to ensure the model is performing optimally. This includes splitting the data into training and testing sets, selecting an appropriate algorithm, tuning hyperparameters, and evaluating the model's performance using metrics such as accuracy, precision, recall, and F1 score. Additionally, techniques such as cross-validation can help assess the model's generalization ability and prevent overfitting. By carefully following these steps, researchers can develop and evaluate machine learning models that accurately predict air quality levels and provide valuable insights for decision-making. Ultimately, the goal is to create a reliable and robust model that can be used to forecast air quality levels with a high degree of accuracy. This can have significant implications for public health and environmental policy, as accurate predictions can help authorities take proactive measures to improve air quality and protect vulnerable populations. By continuously refining and improving the model through ongoing monitoring and updates, researchers can ensure that it remains effective and relevant in addressing the challenges of air pollution. In this way, machine learning techniques can play a crucial role in advancing our understanding of environmental issues and supporting evidence-based decision-making processes.

Evaluation metrics for assessing model performance, include measures such as accuracy, precision, recall, and F1 score. These metrics help researchers determine how well the model is able to predict air pollution levels and identify areas for improvement. By regularly evaluating the model against these metrics, researchers can identify any weaknesses or biases in the model and take steps to address them. This ongoing evaluation process is essential for ensuring that the model remains accurate and reliable in predicting air pollution levels and informing environmental policy decisions. Additionally, evaluating the model against these metrics allows researchers to compare its performance to other models or methods, providing valuable insights into its effectiveness. By continuously monitoring and updating the model based on these evaluation metrics, researchers can ensure that it adapts to changing environmental conditions and remains relevant in guiding policy decisions. Overall, the use of evaluation metrics is crucial for maintaining the model's effectiveness and credibility in predicting air

pollution levels and promoting sustainable environmental practices.

Comparison of different machine learning algorithms for air quality forecasting. Some common evaluation metrics used in comparing machine learning algorithms for air quality forecasting include mean absolute error, root mean squared error, and R-squared value. These metrics help researchers assess the accuracy and reliability of the model's predictions and identify areas for improvement. Additionally, researchers may also consider factors such as computational efficiency, interpretability, and scalability when evaluating different algorithms. By carefully analyzing these metrics and considerations, researchers can determine the most suitable algorithm for their specific air quality forecasting needs. Ultimately, the goal is to develop a model that can accurately predict air quality levels with precision and consistency. Factors such as data availability, model complexity, and the ability to adapt to changing environmental conditions also play a crucial role in selecting the most appropriate algorithm. By taking a comprehensive approach to evaluating machine learning algorithms, researchers can ensure they are using the most effective tools for improving air quality forecasting and making informed decisions to protect public health and the environment.

3. RESULTS AND DISCUSSIONS

Examples of successful applications of machine learning in air quality forecasting, include the use of neural networks to predict pollutant levels based on historical data, as well as the implementation of decision trees to identify the most influential factors in air quality fluctuations. These case studies demonstrate the potential of machine learning to revolutionize the field of air quality forecasting and provide valuable insights for policymakers and stakeholders. Additionally, ongoing research is exploring the integration of real-time sensor data and satellite imagery to enhance the accuracy and timeliness of air quality predictions. Overall, the combination of advanced algorithms and innovative data sources holds great promise for improving public health outcomes and promoting sustainable environmental practices. By leveraging the power of machine learning and cutting-edge technologies, researchers are paving the way for more precise and reliable air quality forecasts. This advancement not only benefits the health and well-being of individuals but also helps drive informed decision-making around environmental regulations and urban planning. With continued advancements in data analysis and prediction models, the future of air quality forecasting looks brighter than ever before.

Impact of accurate air quality predictions on public health, Accurate air quality predictions have a significant impact on public health by providing individuals with timely information to protect themselves from harmful pollutants. By knowing when air quality levels are expected to be poor, individuals can take necessary precautions such as staying indoors, using air purifiers, or wearing masks to reduce their exposure. This proactive approach can help prevent respiratory issues, allergies,

and other health problems associated with poor air quality. Additionally, accurate air quality forecasts can also inform public health officials and policymakers in implementing targeted interventions to improve air quality and protect vulnerable populations. Overall, the impact of accurate air quality predictions on public health cannot be understated, as it plays a crucial role in safeguarding the well-being of communities and promoting a healthier environment for all. By utilizing technology and data to predict air quality levels, communities can take necessary precautions to limit their exposure to harmful pollutants. This can lead to a decrease in hospitalizations and healthcare costs related to respiratory illnesses. Furthermore, by understanding the forecasted air quality, individuals can make informed decisions about outdoor activities and adjust their daily routines to minimize health risks. Ultimately, accurate air quality predictions empower individuals and communities to take control of their health and well-being in the face of environmental challenges.

Potential for future research and advancements in the field, one potential area for future research and advancements in the field of air quality prediction is the development of more precise and localized forecasting models. Current air quality forecasts often rely on data from monitoring stations that may not capture the full extent of pollution levels in specific neighborhoods or regions. By incorporating data from sources such as satellite imagery, mobile sensors, and crowd-sourced information, researchers can improve the accuracy of predictions and provide more tailored guidance to individuals. Additionally, advancements in machine learning and artificial intelligence techniques can help to analyze complex data sets and identify patterns that may not be apparent to human analysts. By harnessing these technologies, researchers can enhance the effectiveness of air quality forecasting and better equip individuals to protect their health in the face of changing environmental conditions. Furthermore, the integration of real-time data into forecasting models allows for more immediate and relevant information to be provided to the public. This can help individuals make informed decisions about when to limit outdoor activities or take precautions to reduce their exposure to air pollution. Overall, the combination of advanced technologies and data analysis techniques holds great promise for improving air quality forecasting and ultimately, protecting public health.

4. CONCLUSIONS

Recap of the importance of forecasting air quality dynamics and the potential benefits of using real-time data and advanced technologies in this process. By continuously monitoring and analyzing air quality data, we can better understand the factors influencing pollution levels and develop more accurate forecasting models. This not only helps individuals make informed decisions about their health and well-being, but also allows policymakers to implement targeted interventions to improve air quality and protect public health. In conclusion, investing in the advancement of air quality forecasting technologies is crucial for creating a healthier and more

sustainable environment for all. By integrating real-time data from various sources, such as satellite imagery and ground monitoring stations, we can create comprehensive and detailed air quality maps that pinpoint areas of concern. This information can then be used to alert the public about potential health risks and provide guidance on how to minimize exposure to harmful pollutants. Ultimately, by harnessing the power of technology and data analysis, we can work towards a future where clean air is a reality for everyone.

ACKNOWLEDGEMENTS

Acknowledgements should be included in a paragraph of no more than three lines regarding the conflict of interest and the institution that supported or funded the research.

REFERENCES

1. R. S. N. M. A. B. J. B. I. C. S. F. R. F. et al Sokhi, “Advances in air quality research—current and emerging challenges,” 2021, [Online]. Available: <https://acp.copernicus.org/articles/22/4615/2022/>
2. T. Yongzhong, L. Yongxue, Z. Bingxue, L. Yongchao, and Zhang. "Understanding the spatial-temporal patterns and influential factors on air quality index: T. case of north C. Xueqian, “Understanding the spatial-temporal patterns and influential factors on air quality index: The case of north China,” 2019, [Online]. Available: <https://www.mdpi.com/1660-4601/16/16/2820>
3. S. Sean, F. B. Christine, S. Vivien, G. Colin, and D. Price. "Public engagement with air quality data: using health behaviour change theory to support exposure-minimising behaviours Heather, “Public engagement with air quality data: using health behaviour change theory to support exposure-minimising behaviours,” 2023, [Online]. Available: <https://www.nature.com/articles/s41370-022-00449-2>
4. L. Iasmin, M. B. Ana, E. Broday. "Indoor environmental quality (IEQ) and sustainable development goals (SDGs): technological advances Evandro, and and challenges in the management of healthy and sustainable environments cts, “... (IEQ) and sustainable development goals (SDGs): technological advances, impacts and challenges in the management of healthy and sustainable environments,” 2023, [Online]. Available: <https://www.mdpi.com/2413-8851/7/3/96>
5. S. Marie *et al.*, “Health, wealth, and air pollution: advancing theory and methods.,” 2003, [Online]. Available: <https://ehp.niehs.nih.gov/doi/abs/10.1289/ehp.6334>
6. E. Jane and D. Kubzansky. "A framework for examining social stress and susceptibility to air pollution in respiratory health Laura, “A framework for examining social stress and susceptibility to air pollution in respiratory health,” 2009, [Online].

- Available:
<https://ehp.niehs.nih.gov/doi/abs/10.1289/ehp.0900612>
7. J. Mitreska, B. Victoria, L. Petre, Z. Eftim, A. H. Michael, and Trajkovik. "Methods for urban A. P. measurement and forecasting: C. Vladimir, “Methods for urban Air Pollution measurement and forecasting: Challenges, opportunities, and solutions,” 2023, [Online]. Available: <https://www.mdpi.com/2073-4433/14/9/1441>
 8. S. Elisavet, S. Agathangelos, and B. Eugenia, “Environmental and health impacts of air pollution: a review,” 2020, [Online]. Available: <https://www.frontiersin.org/articles/10.3389/fpubh.2020.00014/full>
 9. S. Jia, “Economic, environmental, social, and health benefits of urban traffic emission reduction management strategies: Case study of Beijing, China,” 2021, [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2210670721000329>
 10. Z. Tong, L. Shuli, W. Kun, R. Tom, Y. Liya, and Z. Pengfei, “Reducing energy consumption and pollution in the urban transportation sector: A review of policies and regulations in Beijing,” 2021, [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0959652620353841>
 11. J. Frank and C. F. Julia, “Improving indoor air quality, health and performance within environments where people live, travel, learn and work,” 2019, [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1352231018308410>
 12. F.-A. Jesica, C.-G. Sonia, and A. G.-Lezcano. "Bad air can also kill: residential indoor air quality and pollutant exposure risk during the C.-19 crisis Roberto, “Bad air can also kill: residential indoor air quality and pollutant exposure risk during the COVID-19 crisis,” 2020, [Online]. Available: <https://www.mdpi.com/1660-4601/17/19/7183>
 13. Á. José, R.-B. Luis, G.-R. Ricardo, and L. Jun, “IoT based monitoring of air quality and traffic using regression analysis,” 2022, [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1568494621010917>
 14. Z. Kai, B. Majid, G. B. Joel, G. April, L. Baikun, and M. et al. "Machine learning: new ideas and tools in environmental science and engineering mao, “Machine learning: new ideas and tools in environmental science and engineering,” 2021, [Online]. Available: <https://pubs.acs.org/doi/abs/10.1021/acs.est.1c01339>
 15. L. Tianrui, L. Jia, X. Peng, D. Shengdong, and T. Fei, “An overview of air quality analysis by big data techniques: Monitoring, forecasting, and traceability,” 2021, [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1566253521000658>
 16. A. U. Emmanuel, A. Oladipo, A. Ayodeji, and O. Adegbite. "Artificial intelligence in environmental health and public safety: A comprehensive review of U. strategies Abimbola, “Artificial intelligence in environmental health and public safety: A comprehensive review of USA strategies,” 2023, [Online]. Available: <https://wjarr.com/content/artificial-intelligence-environmental-health-and-public-safety-comprehensive-review-usa>
 17. M. R. Md, A. M. Mahrma, and S. M. Shoaib. "ENHANCING A. P. C. W. M. L. I. T. A. F. A., “ENHANCING AIR POLLUTION CONTROL WITH MACHINE LEARNING IN THE AUTOMATION FIELD,” 2024, [Online]. Available: <https://allacademicresearch.com/index.php/AJBAS/article/view/68>
 18. G. Pedram *et al.*, “Machine learning information fusion in Earth observation: A comprehensive review of methods, applications and data sources,” 2020, [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1566253520303171>
 19. A. Khattak. "Enhancing urban health: machine learning applications in environmental managemen Waseem, “Enhancing urban health: machine learning applications in environmental managemen,” 2023, [Online]. Available: <http://vectoral.org/index.php/IJSICS/article/view/1>
 20. B. Marcin and S. Frederic, “Towards cost-sensitive adaptation: When is it worth updating your predictive model?,” 2015, [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0925231214012971>
 21. T. Muhammad, L. Bing, and N. Muhammad, “Revolutionizing municipal solid waste management (MSWM) with machine learning as a clean resource: Opportunities, challenges and solutions,” 2023, [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0016236123011614>
 22. Q. Ying, Z. Bu, P. Ziyu, W. Fei, W. Shun, and Zhang. "High-resolution urban air quality mapping for multiple pollutants based on dense monitoring data and machine learning Qiang, “High-resolution urban air quality mapping for multiple pollutants based on dense monitoring data and machine learning,” 2022, [Online]. Available: <https://www.mdpi.com/1660-4601/19/13/8005>
 23. P. Pande. "Air pollution prediction with machine learning: a case study of I. cities B., “Air pollution prediction with machine learning: a case study of Indian cities,” 2023, [Online]. Available:

- <https://link.springer.com/article/10.1007/s13762-022-04241-5>
24. L. Larry, C. Chih-Yuan, T. Yu, Y. Ting-Hsuan, F. Min-Han, and Fang. "Forecasting air quality in T. by using machine learning Shih-Hau, "Forecasting air quality in Taiwan by using machine learning," 2020, [Online]. Available: <https://www.nature.com/articles/s41598-020-61151-7>
25. A. Medhat *et al.*, "Artificial intelligence for control and optimization of boilers' performance and emissions: A review," 2023, [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0959652623022679>
26. X. W. S. *et al.*, "Projections of air pollutant emissions and its impacts on regional air quality in China in 2020," 2011, [Online]. Available: <https://acp.copernicus.org/articles/11/3119/2011/>
27. Z. Lirong, "Low cost air pollution monitoring systems: A review of protocols and enabling technologies," 2020, [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2452414X19300792>
28. B. I., B. Y., and A. Ahmad. "A review of air quality and concentrations of air pollutants in N. S., "A review of air quality and concentrations of air pollutants in Nigeria," 2020, [Online]. Available: <https://www.ajol.info/index.php/jasem/article/view/194869>
29. B. Alena, G. O. A., C. N., and G. C., "Public awareness and efforts to improve air quality in Europe," 2020, [Online]. Available: https://www.eionet.europa.eu/etcs/etc-atni/products/etc-atni-reports/etc-atni-report-2-2020-public-awareness-and-efforts-to-improve-air-quality-in-europe/@@download/file/ETC-ATNI_2020-2_Task-1_1_2_2_Final%20for%20production_v4-2nd%20publication%2015-06-2021.pdf
30. H. N. Genc, "Global Issues Within the Scope of Sustainable Development in Science Education; Global Warming, Air Pollution and Recycling," 2023, [Online]. Available: <https://files.eric.ed.gov/fulltext/ED639665.pdf#page=99>
31. P. A. D. J. G. B. G. S. A. T. S. E. U. H. *et al* Kumar, "The nexus between air pollution, green infrastructure and human health," 2019, [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0160412019319683>
32. A. Isidro, Á. G. M^a, L. S. M^a, P. Nuria, and F.-Duque. "Key points in air pollution meteorology Beatriz, "Key points in air pollution meteorology," 2020, [Online]. Available: <https://www.mdpi.com/1660-4601/17/22/8349>
33. I. Miguel, K. Donalda, B. Katażyna, G. Eduardo, K. Marius, and B. Damia, "Nature-based solutions impact on urban environment chemistry: air, soil, and water," 2021, [Online]. Available: https://link.springer.com/chapter/10.1007/978-94-007-698-2_21
34. S. Raia *et al.*, "Reviews and syntheses: influences of landscape structure and land uses on local to regional climate and air quality," 2019, [Online]. Available: <https://bg.copernicus.org/articles/16/2369/2019/>
35. Application of k-means and hierarchical clustering techniques for analysis of air pollution: A review (1980–2019)," 2020, [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1309104219304556>
36. M. Taghi, O. Helen, and Kumar. "Current state of indoor air phytoremediation using potted plants and green walls Prashant, "Current state of indoor air phytoremediation using potted plants and green walls," 2021, [Online]. Available: <https://www.mdpi.com/2073-4433/12/4/473>
37. K. Prashant *et al.*, "Green infrastructure for air quality improvement in street canyons," 2021, [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0160412020322431>